

Lake Greenwood Continuous Monitoring Study Periodic Report

November 18, 2020 - March 2, 2021

This study funded through a joint effort consisting of Greenwood County Lake Management (GCLM), Laurens County Water and Sewer Commission (LCWSC), City of Greenville, and Renewable Water Resources (ReWa).



Continuous Monitoring Report Lake Greenwood at River Fork Rd




November 18, 2020 -- March 2, 2021





MONITORING LOCATION CHARACTERISTICS				
Station Location Name	River Fork			
Latitude	34.328331 °N			
Longitude	82.084414 °W			
Appoximate Drainage Area	398 square miles			


RAINFALL CHARACTERISTICS Data provided by Greenville County through the Reedy River Water Quality Group				
Number of Storms Over 0.1 in"	27			
Max Storm Rainfall	2.17 in			
Total Rainfall for Period (Length of deployment: 15 weeks)	14.8 in			


CONTINUOUS WATER	SUMMARY STATISTICS					
QUALITY PARAMETERS:	MIN	MAX	MEDIAN	MEAN	ST. DEV.	
Turbidity (NTU):	9	159	17	22	16	
Sp. Conductivity (uS/cm):	51	114	89	87	13	
Dissolved Oxygen (mg/L):	7.1	12.0	11.0	10.8	0.7	
pH:	6.6	8.4	7.2	7.2	0.2	
Chlorophyll* (ug/L)	0.2	39	3	4	4	
Temperature (°F)	42	62	49	50	4	
















Continuous Monitoring Report Lake Greenwood at River Fork Rd November 18, 2020 -- March 2, 2021



Explanation of Statistics:				
MIN	The minimum value recorded by the datasonde during the reporting period.			
MAX	The maximum value recorded by the datasonde during the reporting period.			
MEDIAN	The median value represents the 50th percentile of the distribution of all values recorded during the reporting period. Half of the recorded values during this period fell above the median value and half fell below this value.			
MEAN	The average of all the 15-minute values recorded by the datasonde during this reporting period.			
ST. DEV.	The standard deviation is a measure of the variation within a dataset. A large standard deviation indicates significant variability in the dataset and a small standard deviation represents low variability.			

Discrete Sample Results Collected to Date							
Sample Date	Collected By	TSS	TN	TKN	NO3+NO2	TP	Chl-a
Sample Date	Collected by	mg/L	mg/L	mg/L	mg/L	mg/L	ug/L
12/05/2018 09:24	GCLM	20.4	1.00	ND	0.70	0.068	7.6
12/12/2018 08:45	GCLM	19.0	0.90	ND	0.52	0.085	5.0
01/09/2019 08:30	GCLM	23.6	1.20	0.60*	0.55	0.087	ND
01/16/2019 08:58	GCLM	12.7	0.86	ND	0.86	0.076	ND
01/30/2019 09:00	GCLM	14.1	0.68	ND	0.52	0.060	8.0
02/06/2019 08:45	GCLM	8.2	1.80	0.69	1.10	ND	2.8
12/11/2019 09:05	GCLM	5.5	1.20	0.42	0.81	0.037	13.0
12/18/2019 08:30	GCLM	16.7	1.30	0.69	0.60	0.064	6.8
01/08/2020 08:50	GCLM	19.9	1.20	0.69	0.53	0.078	6.3
02/12/2020 08:15	GCLM	24.3	0.99	0.54	0.45	0.082	6.7
02/26/2020 08:15	GCLM	15.2	0.94	0.40	0.54	0.064	8.0
03/25/2020 09:05	GCLM	11.4	1.90	1.30	0.62	0.041	6.5
11/24/2020 08:50	GCLM	8.6	0.86	0.31	0.55*	ND	13.9
12/09/2020 08:15	GCLM	7.7	0.74	0.10	0.64	ND	1.9
01/27/2021 08:20	GCLM	7.1	1.09	0.10	0.99	ND	4.7
02/25/2021 09:19	GCLM	9.4	1.42	0.69	0.73	0.074	2.2
03/10/2021 08:47	GCLM	8.6	1.36	0.62	0.74	0.05	8.7

These samples are collected in order to provide information on parameters which cannot be reliably measured in-situ. These sample results may be used in the future to develop statistical relationships with continuously monitored parameters in an effort to estimate continuous concentrations of these parameters. A sufficient sample size for regression analysis is typically 20 samples or more collected across a range of weather conditions.

* Sample extraction/preparation and analysis conducted outside the EPA method holding time.

Definitions			
Chl-a	Chlorophyll-a		
ND	Non Detected at the Reporting Limit		
NO3+NO2	Nitrate + Nitrite as Nitrogen		
TKN	Total Kjeldahl Nitrogen		
TN	Total Nitrogen		
TP	Total Phosphorus		
TSS	Total Suspended Solids		